MATERIAL SAFETY DATA SHEET Page 01 of 05

LOCQUIC(R) PRIMER N 7649 21348

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: LOCQUIC(R) PRIMER N 7649

Item No.: 21348

Product Type: Aerosol accelerator

2. COMPOSITION, INFORMATION ON INGREDIENTS

Ingredients	CAS No.	%
ACETONE	67-64-1	75-80
ISOBUTANE	75-28-5	20-25
2-Ethylhexanoic acid	149-57-5	0.1-1
Organo-copper compound	22221-10-9	0.1-1
Trialkylammonium Carboxylate	58823-74-8	0.1-1

Ingredients which have exposure limits

Ingredients	(TLV)	(PEL)	
ACETONE	500 ppm TWA 1188 mg/m3		None
2-Ethylhexanoic acid	5 mg/m3 resp fr vapor/aerosol	3 ·	None
Organo-copper compound	Cu 0.2mg/m3fume Cu 1 mg/m3 dust	Cu 0.1mg/m3 Cu 1 mg/m3 dust	None
Exposure Limits (STEL) Ingredients	ACGIH (TLV)	OSHA (PEL)	
ACETONE	750 ppm 1782 mg/m3	None	

ACGIH

3. HAZARDS IDENTIFICATION

Exposure Limits (TWA)

Toxicity: Harmful if inhaled or swallowed.

Possible eye and respiratory irritant.

Narcotic at high concentrations.

Prolonged inhalation may cause headaches.

OSHA

OTHER

Moderately toxic by ingestion

Liquid may defat skin.

Primary Routes of Entry:

Inhalation, ingestion, contact.

Signs and Symptoms

of Exposure: Vapors irritate eyes, nose and throat.

Liquid is an eye irritant and may irritate skin.

Existing Conditions

Aggravated by Exposure: None known

MATERIAL SAFETY DATA SHEET Page 02 of 05

Product Name: LOCQUIC(R) PRIMER N 7649

Item No.: 21348

3. HAZARDS IDENTIFICATION

(continued)

	Literature Referenced	Car	cinog	jen
Ingredients	Target Organ and Other Health Effects	NTP	IARC	OSHA
ACETONE	BLO CNS IRR	NO	NO	NO
ISOBUTANE	CAR CNS LUN	NO	NO	NO
2-Ethylhexanoic acid	DEV EYE IRR LIV REP	NO	NO	NO
Organo-copper compound	NTO	NO	NO	NO
Trialkylammonium Carbox	kylate No Data	NO	NO	NO

Abbreviations

BLO Blood CAR Cardiac

 ${\tt CNS} \ {\tt Central} \ {\tt nervous} \ {\tt system} \qquad \qquad {\tt DEV} \ {\tt Developmental}$

EYE Eyes IRR Irritant LIV Liver LUN Lung

NTO No Target Organs REP Reproductive

4. FIRST AID MEASURES

Ingestion: Give water to dilute. Do not induce vomiting.

Keep individual calm. Obtain medical attention.

Inhalation: Remove to fresh air. If symptoms persist, obtain

medical attention.

Skin Contact: Wash with soap and water.

Eye Contact: Flush with water for at least 15 minutes. Obtain

medical attention.

5. FIRE FIGHTING MEASURES

Flash Point: Approximately -4°F(Base) Method: Tag Closed Cup

Recommended

Extinguishing Agents: Carbon dioxide, foam, dry chemical

Special Firefighting

Procedures: Not available

Hazardous Products formed

by Fire or Thermal Decomp Irritating organic vapors

Unusual Fire or

Explosion Hazards: Cans may burst in fires.

Explosive Limits:

(% by volume in air)Lower Acetone: 2.6%

Isobutane: 1.8%

(% by volume in air) Upper Acetone: 13%

Isobutane: 8.4%

MATERIAL SAFETY DATA SHEET Page 03 of 05

Product Name: LOCQUIC(R) PRIMER N 7649

Item No.: 21348

6. ACCIDENTAL RELEASE MEASURES

Steps to be taken in case

of spill or leak: Avoid flame and sparks. Maintain adequate ventilation. Soak up in an inert absorbent and

store in a closed container until disposal.

7. HANDLING AND STORAGE

Handling:

Safe Storage: Store away from flame and sparks and below 120F

(Contact Loctite Customer Service 1-800-243-4874 for shelf life information)

Avoid prolonged breathing of fumes. Avoid skin or eye contact. Do not use near heat, sparks, or

oner flome

open flame.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Eyes: Safety glasses or goggles. Skin: Rubber or plastic gloves.

Ventilation: Sufficient to maintain vapor concentration

below TLV.

Respiratory Not available

See Section 2 for Exposure Limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Green liquid (Base only)

Odor: Acetone

Boiling Point: 133°F (Base only) pH: Does not apply

Solubility in Water: Miscible

Specific Gravity 0.7936 (Base only)

Volatile Organic Compound

(EPA Method 24) 1.48%;11.7 grams per liter of material (Base only)

Vapor Pressure: Approximately 172 mm Hq at 68°F (Base only)

Vapor Density: Not available

Evaporation Rate

(Ether = 1) 1.9 (Base only)

10. STABILITY AND REACTIVITY

Stability: Stable

Hazardous Polymerization: Will not occur

Incompatibility: Strong oxidizers, peroxides

Conditions to Avoid: Not available

Hazardous Decomposition

Products (non-thermal): None

MATERIAL SAFETY DATA SHEET Page 04 of 05

Product Name: LOCQUIC(R) PRIMER N 7649

Item No.: 21348

11. TOXICOLOGICAL INFORMATION

See Section 3.

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Recommended methods of

disposal: Use disposal service licensed to handle flammable

aerosols.

EPA Hazardous Waste

Number D001 - Hazardous waste per 40CFR 261.21

14. TRANSPORTATION INFORMATION

DOT (49 CFR 172)

Domestic Ground Transport

Proper Shipping Name: Consumer Commodity

Hazard Class or

Division: ORM-D
Identification Number: None
Marine Pollutant: None

IATA

Proper Shipping Name: Aerosols, flammable

Class or Division: Division 2.1 UN or ID Number: UN 1950

15. REGULATORY INFORMATION

CA Proposition 65: WARNING: This product contains a chemical known to

the State of California to cause cancer and birth defects or other reproductive

harm.

Traces of lead and nickel

16. OTHER INFORMATION

Estimated NFPA(R) Code:

Health Hazard: 2
Fire Hazard: 4
Reactivity Hazard: 0

Specific Hazard: Does not apply

Estimated HMIS(R) Code:

Health Hazard: 2
Flammability Hazard: 4
Reactivity Hazards: 0

Page 05 of 05 MATERIAL SAFETY DATA SHEET

Product Name: LOCQUIC(R) PRIMER N 7649

Item No.: 21348

16. OTHER INFORMATION (continued)

Personal Protection: See Section 8.

NFPA is a registered trademark of the National Fire Protection Assn. HMIS is a registered trademark of the National Paint and Coatings Assn.

Prepared By: Stephen Repetto

Title: Research Chemist, Environmental Health & Safety Henkel Loctite Corporation, Rocky Hill CT 06067 Company:

(860) 571-5100

(24hr.) Phone: Revision Date: April 22, 2002 Revision: 0009