

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name THREAD-EZE ULTRA BRSH TOP
Recommended Use Lubricant
Information on Manufacturer
 CHEMSEARCH DIV. OF NCH CORP.
 BOX 152170
 IRVING, TX 75015

Product Code 5913
Chemical Nature Petroleum distillates mixture
Emergency Telephone Number
 CHEMTREC® 800-424-9300

2. HAZARDS IDENTIFICATION

Emergency Overview
 WARNING
 Causes eye irritation
 May cause skin irritation

Color White
Potential Health Effects
Principle Route of Exposure
Primary Routes of Entry
Acute Effects
 Eyes
 Skin
 Inhalation
 Ingestion
Chronic Toxicity
Target Organ Effects
Aggravated Medical Conditions
Potential Environmental Effects

Physical State Grease

Odor Oily

Eye contact, Skin contact.
 Inhalation
 Causes eye irritation.
 May cause skin irritation. Repeated exposure may cause skin dryness or cracking.
 May cause irritation of respiratory tract.
 Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
 Liver and kidney injuries may occur, Contains a known or suspected carcinogen.
 Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Bone Marrow, Spleen.
 Respiratory disorders, Skin disorders, Neurological disorders, Liver disorders, Kidney disorders.
 See Section 12 for additional Ecological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No
Zinc oxide	1314-13-2
Calcium Carbonate	1317-65-3
Crystalline Silica (Quartz)	14808-60-7
White mineral oil, solvent refined	8042-47-5
Aluminum benzoate fatty acid complex	82980-54-9

The product contains no substances which at their given concentration, are considered to be hazardous to health

4. FIRST AID MEASURES

General Advice Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists.
Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if irritation develops and persists.
Skin Contact Wipe up with absorbent material (e.g. cloth, fleece). Wash off with soap and plenty of water. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.
Inhalation If inhaled, remove to fresh air. Get medical attention if symptoms occur.
Ingestion Do NOT induce vomiting. Drink 1 or 2 glasses of water. Get medical attention if symptoms occur.
Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash Point Not flammable
Autoignition Temperature No information available. **Method** Not applicable
Flammability Limits in Air % No information available. **Upper** No data available **Lower** No data available
Suitable Extinguishing Media Water spray. Carbon dioxide (CO2). Foam. Dry chemical. Alcohol-resistant foam.
Specific hazards arising from the chemical Material can create slippery conditions.
Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
NFPA Health 1 **Flammability** 1 **Instability** 0
HMIS Health 1 **Flammability** 1 **Instability** 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Ensure adequate ventilation. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions.
Environmental Precautions Do not flush into surface water or sanitary sewer system.
Methods for Containment Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Methods for Cleaning Up Pick up and transfer to properly labeled containers.
Neutralizing Agent Not applicable.

7. HANDLING AND STORAGE

Handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists.			
Storage	Store in original container. Keep container tightly closed in a dry and well-ventilated place.			
Storage Temperature	Minimum	0°F/-18°C	Maximum	120°F/49°C
Storage Conditions	Indoor	X	Outdoor	Heated
				Refrigerated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH
Zinc oxide	10 mg/m ³ STEL (respirable fraction) : 2 mg/m ³ TWA (respirable fraction)	5 mg/m ³ TWA (fume); 15 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable fraction)	500 mg/m ³ IDLH : 5 mg/m ³ TWA (dust and fume) : 15 mg/m ³ Ceiling (dust) 10 mg/m ³ STEL (fume)
Calcium Carbonate	No data available	15 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable fraction)	10 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable dust)
Crystalline Silica (Quartz)	0.025 mg/m ³ TWA (respirable fraction)	No data available	50 mg/m ³ IDLH (respirable dust) : 0.05 mg/m ³ TWA (respirable dust)
White mineral oil, solvent refined	5 mg/m ³	5 mg/m ³	IDLH 2500 mg/m ³ STEL 10 mg/m ³
Aluminum benzoate fatty acid complex	No data available	No data available	No data available

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/Face Protection

Safety glasses with side-shields.

Skin Protection

For prolonged or repeated contact, use protective gloves

Respiratory Protection

In case of insufficient ventilation wear suitable respiratory equipment. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

General Hygiene Considerations

Ensure that eyewash stations and safety showers are close to the workstation location. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Grease	Viscosity	Semi-Solid
Color	White	Odor	Oily
Appearance	Opaque	pH	Not applicable
Specific Gravity	0.98	Evaporation Rate	0 (Butyl acetate=1)
Percent Volatile (Volume)	0	VOC Content (%)	0
VOC Content (g/L)	0	Vapor Pressure	<0.01 mmHg @ 70 °F
Vapor Density	0 (Air = 1.0)	Solubility	Negligible
Boiling Point/Range	No data available		

10. STABILITY AND REACTIVITY

Chemical Stability	Stable. Hazardous polymerization does not occur.
Conditions to Avoid	None known
Incompatible Products	Strong oxidizing agents, Strong acids.
Hazardous Decomposition Products	Carbon oxides, Zinc oxide fumes, Fumes of aluminum.
Possibility of Hazardous Reactions	None under normal processing.

11. TOXICOLOGICAL INFORMATION

Product Information	No information available.
----------------------------	---------------------------

Component Information

Acute toxicity

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
Zinc oxide	5000 mg/kg (Rat)	no data available	no data available	no data available	no data available
Calcium Carbonate	no data available	no data available	no data available	no data available	no data available
Crystalline Silica (Quartz)	500 mg/kg (Rat)	no data available	no data available	no data available	no data available
White mineral oil, solvent refined	5000 mg/kg (Rat)	no data available	no data available	no data available	no data available
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	no data available

Chronic Toxicity

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Zinc oxide	no data available	no data available	no data available	no data available	respiratory system, CNS
Calcium Carbonate	no data available	no data available	no data available	no data available	eyes, respiratory system, skin
Crystalline Silica (Quartz)	no data available	no data available	no data available	no data available	eyes, respiratory system, liver, kidneys, spleen, bone marrow (in animals: lung cancer)
White mineral oil, solvent refined	no data available	no data available	no data available	no data available	respiratory system
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	no data available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	ACGIH	IARC	NTP	OSHA	Other
Zinc oxide	not applicable	not applicable	not applicable	not applicable	not applicable
Calcium Carbonate	not applicable	not applicable	not applicable	not applicable	not applicable

Crystalline Silica (Quartz)	A2	Group 1	Known	X	not applicable
White mineral oil, solvent refined	not applicable	not applicable	not applicable	not applicable	not applicable
Aluminum benzoate fatty acid complex	not applicable	not applicable	not applicable	not applicable	not applicable

12. ECOLOGICAL INFORMATION

Product Information No information available.

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow
Zinc oxide	no data available	no data available	no data available	no data available	N/A
Calcium Carbonate	no data available	no data available	no data available	no data available	N/A
Crystalline Silica (Quartz)	no data available	no data available	no data available	no data available	N/A
White mineral oil, solvent refined	no data available	LC50> 10000 mg/L Lepomis macrochirus 96 h	no data available	no data available	>6
Aluminum benzoate fatty acid complex	no data available	no data available	no data available	no data available	N/A

Persistence and Degradability No information available.

Bioaccumulation No information available.

Mobility No information available.

13. DISPOSAL CONSIDERATIONS

Product Disposal Dispose of in accordance with local regulations.

Container Disposal Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

Inventories

TSCA Complies

DSL Complies

U.S. Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40n of the Code of Federal Regulations, Part 372

Component	CAS-No	Weight %	SARA 313 - Threshold Values
Zinc oxide	1314-13-2	7-13	1.0

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
Yes	Yes	No	No	No

CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
Zinc oxide	Not applicable	Not applicable
Calcium Carbonate	Not applicable	Not applicable
Crystalline Silica (Quartz)	Not applicable	Not applicable
White mineral oil, solvent refined	Not applicable	Not applicable
Aluminum benzoate fatty acid complex	Not applicable	Not applicable

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

D2A Very toxic materials, D2B Toxic materials.



16. OTHER INFORMATION

Prepared By	Mike McDowell
Supersedes Date	12/12/2007
Issuing Date	07/22/2010
Reason for Revision	No information available.
Glossary	No information available.
List of References.	No information available.

CHEMSEARCH DIV. OF NCH CORP. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.